

COOLING TOWER 1900



ABOUT THE UNIT

ICS Cool Energy's Cooling Tower 1900 is a flexible twin fan unit capable of managing $233.4\,\mathrm{m}^3/\mathrm{hr}$ flow. The unit requires a water source to top up the evaporation and has quick-release water connections, together with a 63amp 3-phase power connection to manage the controls and fans.

The unit is designed specifically for the UK market and for the adherance to ACoP L8 site maintenance requirements.

Customers should note that no Cooling Tower will be delivered to site until a full site specific risk assessment is agreed, together with a declaration of known tasks prior to delivery, to meet all Health ϑ Safety codes of practice.

THE ICS COOL ENERGY PORTFOLIO

ICS Cool Energy can also supply the following equipment:

- Air-cooled rental chiller range from 0.3kW 1,000kW units.
- Water-cooled rental chiller range from 7.5kW
 1,000kW units.
- Air handling units & fan coils from 5kW 500kW duties.
- Air conditioning units from 1.3kW 350kW
- Low temperature chillers (-40°C) and fan coils (0°C air off).

- Dehumidifiers (desiccant & electric) 200-10,000m3/hr.
- Generator Power with 20KVA 800KVA, fuel tanks and management.
- Air distribution (flexible ducting and perforated air socks).
- Hot water generators and boilers from 25kW
 2MW units.
- Heating (office/warehouse) from 3kW to 200kW electric/indirect/heat pump.

We also provide full installation, transportation, lifting and monitoring services where required.

CONTACT

Bel ons op +31 (0)88 - 258 2580 of bezoek onze website www.icscoolenergy.nl

info@icscoolenergy.nl



TECHNICAL COOLING TOWER 1900

PERFORMANCE DATA @ DESIGN CONDITIONS			
Cooling Capacity	kW	1,900	
Design Wet Bulb Temp	°C	21	
Design Fluid In/Out	°C	34/27	

COOLING OPERATING LIMITS		
Max Working Flowrate	m³/hr	233.4
Water Volume	L	3070
Water Connection (make up)	inches	2
Maximum Pressure	Bar	1
Maximum Water Temperature	°C	75
ELECTRICAL DATA		
Electrical Supply Voltage 3 phase	V	400
Chiller Power Connections	A	CEE 63 A
Max Power Absorbed	kW	30.0
Max Current Absorbed	A	56.0
Starting Current (Max)	A	63
SOUND DATA		
Sound Pressure Level at 3 metres (ISO3744) Max Air Flow	dB(A)	76
PHYSICAL DATA		
Overall Length	mm	5.216
Overall Width	mm	2,429
Overall Height	mm	2,300
Weight Dry	kg	2,290
Weight + Water	kg	5,360
Fluid Coupling Size	inch	4
Fluid Coupling Type	Bauer	

ADDITIONAL INFOMATION

The ICS Cool Energy water cooled rental range can be supplied with a suitably-rated rental cooling tower as an option, to help provide temporary cooling as a complete package. The range available for rental is 45kW - 1,250kW single units.

CONTACT

Bel ons op +31 (0)88 - 258 2580 of bezoek onze website www.icscoolenergy.nl

info@icscoolenergy.nl