

COOLING TOWER 825



ABOUT THE UNIT

ICS Cool Energy's Cooling Tower 825 is a flexible twin fan unit capable of managing 101.4 m³/hr flow. The unit requires a water source to top up the evaporation and has quick-release water connections, together with a 63amp 3-phase power connection to manage the controls and fans.

The unit is designed for the UK market and for the adherance of ACoP L8 site maintenance requirements.

Customers should note that no Cooling Tower will be delivered to site until a full site specific risk assessment is agreed, together with a declaration of known tasks prior to delivery, to meet all Health & Safety codes of practice.

THE ICS COOL ENERGY PORTFOLIO

ICS Cool Energy can also supply the following equipment:

- Air-cooled rental chiller range from 0.3kW 1,000kW units.
- Water-cooled rental chiller range from 7.5kW 1,000kW units.
- Air handling units & fan coils from 5kW 500kW duties.
- \bullet Air conditioning units from 1.3kW 350kW units.

 \bullet Low temperature chillers (-40°C) and fan coils (0°C air off).

- Dehumidifiers (desiccant & electric) 200-10,000m3/hr.
- Generator Power with 20KVA 800KVA, fuel tanks and management.
- Air distribution (flexible ducting and perforated air socks).
- Hot water generators and boilers from 25kW
 2MW units.
- Heating (office/warehouse) from 3kW to 200kW electric/indirect/heat pump.

We also provide full installation, transportation, lifting and monitoring services where required.

CONTACT

Bel ons op +31 (0)88 - 258 2580 of bezoek onze website www.icscoolenergy.nl

info@icscoolenergy.nl

All data is subject to change and continuous improvement without notice

© ICS Cool Energy. All rights reserved.

THE TEMPERATURE CONTROL SPECIALISTS. VERHUUR. VERKOOP. SERVICE.



TECHNICAL COOLING TOWER 825

PERFORMANCE DATA @ DESIGN CONDITIONS

	Cooling Capacity	kW	825
	Design Wet Bulb Temp	°C	21
	Design Fluid In/Out	°C	34/27

COOLING OPERATING LIMITS					
Working Flowrate	m³/hr	101.4			
Water Volume	L	1260			
Water Connection (make up)	inches	2			
Maximum Pressure	Bar	1			
Maximum water temp	°C	75			
ELECTRICAL DATA					
Electrical Supply Voltage 3 phase	V	400			
Chiller Power Connections	А	CEE 32 A			
Max Power Absorbed	kW	11			
Max Current Absorbed	А	22			
Starting Current (Max)	А	32			
Recommended Generator Set	kVA	15 kVa			
SOUND DATA					
Sound Pressure Level at 3 metres (ISO3744) Max Air Flow	dB(A)	71			
PHYSICAL DATA					
Overall Length	mm	3,343			
Overall Width	mm	2,429			
Overall Height	mm	2,100			
Weight Dry	kg	1,340			
Weight + Water	kg	2,600			
Fluid Coupling Size	inch	4			
Fluid Coupling Type	Bauer				
Dosing Connections	mm/inch				
Make-up water pressure	Bar	1			

ADDITIONAL INFOMATION

The ICS Cool Energy water cooled rental range can be supplied with a suitably-rated rental cooling tower as an option, to help provide temporary cooling as a complete package. The range available for rental is 45kW - 1,250kW single units.

CONTACT

Bel ons op +31 (0)88 - 258 2580 of bezoek onze website www.icscoolenergy.nl

info@icscoolenergy.nl

All data is subject to change and continuous improvement without notice

© ICS Cool Energy. All rights reserved.