



## COLD STORAGE

PRECISE TEMPERATURE CONTROLLED COLD STORAGE SOLUTIONS FOR HIRE







#### ICS COOL ENERGY COLD STORAGE SOLUTIONS

#### **AT A GLANCE**

- 10ft, 20ft and 40ft ISO containers offering +30°C to -40°C precise temperature accuracy.
- Immediate availability from our extensive hire fleet. •
- Uses the latest Thermo King fridge technology.
- -10°C to -70°C Superfreezer units available to order in 10ft and 20ft units.
- Modular builds suitable for long term hire available from +30°C to -40°C.

#### **NEEDS**

#### Short term hire/emergency storage

Whether for events, production and seasonal peaks or for fast-tracking a permanent solution cold store project, we offer immediate hire solutions which can be off-hired just as quickly.

#### Long-term hire storage

When a capital investment is not the preferred option, ICS Cool Energy FLEX is the flexible and dynamic solution of choice for cold storage units and chiller / fan coil / AHU combinations.

#### **APPLICATIONS**

Any raw material or finished product requiring temperature controlled storage to preserve or increase shelf life

R&D applications where a temperature controlled environment is required to enable Accelerated Life Testing (ALT) of critical components.



Food & Beverage



Warehouses



R&D material & high tech components



Supermarkets Pharmaceutical, Bio-life & Healthcare Exhibition centres



Festivals, Events.

**A E** 

#### **KEY FEATURES**

- · Non-slip floor with wash down drains.
- Internal lighting and alarm for safer user experience.
- · Strip curtains.
- · Man trap escape mechanism.
- Emerson telematics for full on line monitoring and out of hours alarm notifications.
- One handed door operation and easy open/close to save operator time.
- Standard food grade stainless steel wall panels, aluminium roof panel and floor.
- Ground floor ramps available for safe loading/ unloading.

#### **WHY HIRE FROM ICS COOL ENERGY?**

- Availability of stock for quick dispatch around the
- 24/7, 365 support for emergencies and planned installations.
- A team of dedicated specialists to oversee the entire Cold Store hire process.
- Offers a flexible asset provision hire when you need it, off-hire when you don't.
- No capital outlay required, enabling you to focus on your business ROI.
- Full maintenance and breakdown cover with no unexpected outlay.
- Latest fridge technology from market leaders Thermo King gives low operating costs, minimal downtime and low carbon footprint.
- Plug and play negates building work and ensures speedy installation.
- Over 70 engineers across the UK to support you.







### **COLD STORE 10**





#### **SPECIFICATION**

ICS Cool Energy's Cold Store 10 has been designed  $\vartheta$  built with the user in mind offering continuous reliability, optimal performance  $\vartheta$  low running costs. The Cold Store 10 has been designed to offer cold storage solutions at a width of 2 pallets with flush fitting machines to prevent any loss of internal capacity. Units are available from stock for nationwide delivery. ICS Cool Energy's Cold Store 10 provides economical, powerful cooling with fault free operation providing the ideal temperature to store your products, with further eco mode operation to minimise power use  $\vartheta$  self diagnostic capabilities providing additional peace of mind.

All Cold Store 10 containers are manufactured in accordance with the latest guidelines  $\vartheta$  CFC legislation. Standard features include:

- High insulation value
- Anti slip aluminium flooring
- Easy open door with inbuilt lock
- 220V LED fluorescent internal lights
- Internal door opening
- Person trapped alarm
- Modern power efficient machinery (many with datalogger)
- -40°C to +30°C range (subject to model)
- Maximum air temperature fluctuation 0.25°C from set point after pull down (most models)
- Hygienic stainless steel interior panels / aluminium floor
- Robust MGSS stainless steel exterior
- Internal fork truck / motorised pallet lifter use permitted
- Ramp to 500kg (heavy duty ramps available)
- 380V/440V 3 phase heavy duty cable with 5 pin/32A CE plug
- Average age of our rental fleet is less than 5 years
- Foundations or even ground is NOT required

EXTERNAL DIMENSIONS		
Length	2,991 mm	9'6"
Width	2,438 mm	8′
Height	2,591 mm	8'6"

INTERNAL DIMENSIONS		
Length	2,343 mm	7′8″
Width	2,058 mm	6'9"
Height	2,179 mm	7′2″

OPENINGS		
Width	1,100 mm	3′7″
Height	2,000 mm	6′7″

Internal Volume	10.5m³	371 cu ft
Max Payload	7,700 kg	16,980 lb
Max Air Temp Fluctuation	+/- 0.25°C	
Temperature Range	-40°C to +30°C	
Max Running Current	17A	
Power Connection	380/440V 3 phase heavy duty cable with 5pin/32A CE plug	

E&OE. All data is subject to change and continuous improvement without notice. Equipment designed to

Equipment designed to ISO 9001 and all relevant electrical, pressure and mechanical directives.

Revision 3 12/05/22

© ICS Cool Energy. All rights reserved.

THE TEMPERATURE CONTROL SPECIALISTS. SALES. HIRE. SERVICE.

#### **CONTACT US**

Call us free on 0800 840 4210 or Visit our website www.icscoolenergy.com

ICS House, Stephenson Road, Calmore Industrial Estate, Totton, Southampton, SO40, 35A

t: 023 8052 7300 f: 023 8042 8366 hire@icscoolenergy.com

## **COLD STORE 20**





#### **SPECIFICATION**

ICS Cool Energy's Cold Store 20 has been designed  $\vartheta$  built with the user in mind offering continuous reliability, optimal performance  $\vartheta$  low running costs. The Cold Store 20 has been designed to offer cold storage solutions at a width of 2 pallets with flush fitting machines to prevent any loss of internal capacity. Units are available from stock for nationwide delivery. ICS Cool Energy's Cold Store 20 provides economical, powerful cooling with fault free operation providing the ideal temperature to store your products, with further eco mode operation to minimise power use  $\vartheta$  self diagnostic capabilities providing additional peace of mind.

All Cold Store 20 containers are manufactured in accordance with the latest guidelines  $\vartheta$  CFC legislation. Standard features include:

- High insulation value
- Anti slip aluminium flooring
- Easy open door with inbuilt lock
- 220V LED fluorescent internal lights
- Internal door opening
- Person trapped alarm
- Modern power efficient machinery (many with datalogger)
- -40°C to +30°C range (subject to model)
- Maximum air temperature fluctuation 0.25°C from set point after pull down (most models)
- Hygienic stainless steel interior panels / aluminium floor
- Robust MGSS stainless steel exterior
- Internal fork truck / motorised pallet lifter use permitted
- Ramp to 500kg (heavy duty ramps available)
- 380V/440V 3 phase heavy duty cable with 5 pin/32A CE plug
- Average age of our rental fleet is less than 5 years
- · Foundations or even ground is NOT required

EXTERNAL DIMENSIONS		
Length	6,058 mm	19'11"
Width	2,438 mm	8'
Height	2,591 mm	8′6″

INTERNAL DIMENSIONS		
Length	5,450 mm	17'11"
Width	2,284 mm	7′6″
Height	2,298 mm	7'7''

OPENINGS		
Width	2,290 mm	7'6"
Height	2,264 mm	7'5"

Internal Volume	28.6 m³	1,010 cu ft
Max Payload	27,620 kg	60,890 lb
Max Air Temp Fluctuation	+/- 0.25°C	
Temperature Range	-40°C to +30°C	
Max Running Current	17A	
Power Connection	380/440V 3 phase heavy duty cable with 5pin/32A CE plug	

E&OE. All data is subject to change and continuous improvement without notice.
Equipment designed to

Equipment designed to ISO 9001 and all relevant electrical, pressure and mechanical directives.

Revision 3 12/05/22

© ICS Cool Energy. All rights reserved.

THE TEMPERATURE CONTROL SPECIALISTS. SALES. HIRE. SERVICE.

#### **CONTACT US**

Call us free on 0800 840 4210 or Visit our website www.icscoolenergy.com

ICS House, Stephenson Road, Calmore Industrial Estate, Totton, Southampton, SO40 3SA

t: 023 8052 7300 f: 023 8042 8366 hire@icscoolenergy.com

## **COLD STORE 40**



#### **SPECIFICATION**

ICS Cool Energy's Cold Store 40 has been designed  $\vartheta$  built with the user in mind offering continuous reliability, optimal performance  $\vartheta$  low running costs. The Cold Store 40 has been designed to offer cold storage solutions at a width of 2 pallets with flush fitting machines to prevent any loss of internal capacity. Units are available from stock for nationwide delivery. ICS Cool Energy's Cold Store 40 provides economical, powerful cooling with fault free operation providing the ideal temperature to store your products, with further eco mode operation to minimise power use  $\vartheta$  self diagnostic capabilities providing additional peace of mind.

All Cold Store 40 containers are manufactured in accordance with the latest guidelines  $\theta$  CFC legislation. Standard features include:

- High insulation value
- Anti slip aluminium flooring
- Easy open door with inbuilt lock
- 220V LED fluorescent internal lights
- Internal door opening
- Person trapped alarm
- Modern power efficient machinery (many with datalogger)
- -40°C to +30°C range (subject to model)
- Maximum air temperature fluctuation 0.25°C from set point after pull down (most models)
- Hygienic stainless steel interior panels / aluminium floor
- Robust MGSS stainless steel exterior
- Internal fork truck / motorised pallet lifter use permitted
- Ramp to 500kg (heavy duty ramps available)
- 380V/440V 3 phase heavy duty cable with 5 pin/32A CE plug
- Average age of our rental fleet is less than 5 years
- · Foundations or even ground is NOT required

ics cool energy

EXTERNAL DIMENSIONS		
Length	12,192 mm	40′
Width	2,438 mm	8'
Height	2,896 mm	9'6"

INTERNAL DIMENSIONS		
Length	11,584 mm	38'
Width	2,284 mm	7'6"
Height	2,603 mm	8'7"

OPENINGS		
Width	2,290 mm	7'6"
Height	2,569 mm	8'5"

Internal Volume	68.9 m³	2,433 cu ft
Max Payload	29,410 kg	64,84 lb
Max Air Temp Fluctuation	+/- 0.25°C	
Temperature Range	-40°C to +30°C	
Max Running Current	17A	
Power Connection	380/440V 3 phase heavy duty cable with 5pin/32A CE plug	

#### CONTACT US

Call us free on
0800 840 4210 or
Visit our website
www.icscoolenergy.com

ICS House, Stephenson Road, Calmore Industrial Estate, Totton, Southampton, SO40 3SA

t: 023 8052 7300 f: 023 8042 8366 hire@icscoolenergy.com

to change and continuous improvement without notice. Equipment designed to

E&OE. All data is subject

Equipment designed to ISO 9001 and all relevant electrical, pressure and mechanical directives.

Revision 3 12/05/22

© ICS Cool Energy. All rights reserved.

THE TEMPERATURE CONTROL SPECIALISTS. SALES. HIRE. SERVICE.

# EMERGENCY SUPPORT AND BUSINESS CONTINUITY PLANNING FOR NORTH-WEST ENGLAND HOSPITAL

A hospital in North-West England faced a critical situation when their chiller system malfunctioned over a weekend.

The circumstances emphasised the importance of having an efficient contingency plan in place, prompting the hospital to turn to ICS Cool Energy for an immediate and comprehensive solution.

What began as a response to a singular cold storage need in the kitchen expanded into a comprehensive engagement, which involved altering the infrastructure for the emergency installations of chillers and boilers.

Through efficient emergency responses and proactive planning, we are proud to have addressed the immediate concerns but also paved the way for a safer, more resilient future for the hospital.

## **KEEPING INDUSTRY RUNNING FOR...**





#### COLD STORES ENSURE STEADY TEMPERATURE FOR FERMENTATION VESSELS AT UK BREWERY

A leading international brewery was looking for an answer to their requirement to keep their reactor vessels in a reliable temperaturecontrolled environment.

Maintaining a steady, constant temperature is crucial for breweries when it comes to storing beer ingredients, as they are sensitive to heat and temperature fluctuations.

By using containerised Cold Store units from ICS Cool Energy, the brewery avoided investments required to turn a large part of their plant into a cold room. This also contributed to significantly lower energy consumption and more flexibility for the storage of the vessels.

Following the initial 12-months hire contract and successful tests, the brewery decided to extend the hire of the Cold Store solutions to a 5-year period.



## **PROCESS TEMPERATURE** CONTROL SPECIALISTS.

ICS Cool Energy are your total support specialists in temperature control solutions from -70°C to 350°C for critical and manufacturing processes. Since 1989, we've been offering a full range of services to keep your industry running. This includes equipment hire from the largest hire fleet in the UK, capital equipment sales, energy efficiency upgrades, planned preventative maintenance and emergency breakdown support across all industries and facilities throughout the UK.

We are also the manufacturer of the i-Chiller, through our brand family member MTA, an Italian enterprise that has been producing equipment for the treatment of compressed gases, industrial refrigeration and air conditioning for over 40 years.





- · Rental, equipment & service
- · Consultation & technical expertise approach
- · Emergency support 24/7 every day of the year

**KEEPING INDUSTRY RUNNING** 



#### **EMISSION CRITICAL**

- · Reducing carbon by One Gigaton by 2030
- Free Cooling & Heat Recovery products
- · Energy Efficiency enhancements



#### **FLEX**

- · Zero capital membership solution
- · Flex capacity to pay only for what you need
- · Built in contingency planning

#### **UK & IRELAND COVERAGE**

- ICS UK HQ
- ICS Depots
- ICS Offices
- 70+ Service Technicians with Van Stock
- Further stock held at our depots around the UK
- 50+ Sales Engineers
- 30+ Depot Repair Engineers
- £50M+ 500MW Fleet
- Over 100,000 projects completed
- 24/7, 365 Emergency Support

For Service, Breakdown Support & Emergency Rental: 0800 840 4210 (24hr response)

Local Offices:

Bradford: 01274 740877 Birmingham: 01675 432270 Southampton: 023 8052 7300



#### ICSCOOLENERGY.COM

PROCESS TEMPERATURE CONTROL SPECIALISTS. SALES. HIRE. SERVICE.























