



# DX 17 LOW TEMP



## FEATURES

ICS Cool Energy offer rental DX units to meet short and long term requirements the units are supplied with an internal and external unit. The external unit can be positioned on a rooftop or external plant location.

The internal units features powerful fans which draw in air, which is then cooled via the units integral evaporator. The external unit houses the compressors and condensor and is linked to the internal unit by insulated, flexible refrigeration lines.

A system configuration incorporates staggered de-frost to consistently achieve a stable temperature. ICS Cool Energy has helped many customers achieve large space cooling with fast set up times and effective, reliable results for large and small spaces.

ICS Cool Energy's range of DX units is capable of providing space cooling to 13,000m<sup>3</sup>/h and can effectively be used in parallel to provide cooling for larger spaces.

## CONTACT US

Call us free on  
**0800 840 4210** or  
visit our website  
[www.icscoolenergy.com](http://www.icscoolenergy.com)

Depots Nationwide

[hire@icscoolenergy.com](mailto:hire@icscoolenergy.com)

		INTERNAL UNIT	EXTERNAL UNIT
Dimensions (LxDxH)	mm	2.570 x 1.110 x 1.170	2.140 x 940 x 2.400
Weight	Kg	650	830
Air Flow	m <sup>3</sup> /hr	13.000	13.000
Cooling	kW	-	17kW at -25°C Evaporative temp. 32°C external temp
Evaporation Temperature	°C	-	min -35°C, max - 10°C
Refrigerant	-	R404a	R404a
Fans	-	2	6
Voltage	-	400/3/50	400/3/50
Electrical Connections	-	Powered from external	CEE 63A
Sound Levels	dB(A)	46 dB(A) @ 10m	46 dB(A) @ 10m

E&OE. All data is subject to change and continuous improvement without notice. Equipment designed to ISO 9001 and all relevant electrical, pressure and mechanical directives.

© ICS Cool Energy. All rights reserved.

**THE TEMPERATURE CONTROL SPECIALISTS.  
SALES. HIRE. SERVICE.**

[WWW.ICSCOOLENERGY.COM](http://WWW.ICSCOOLENERGY.COM)