



SPOT COOLER 8.2



Why cool the whole building when you can cool the area most affected by heat? This approach saves costs and power usage while installation takes minutes.

ABOUT THE UNIT

The Spot Cooler 8.2 (28,000 Btu/hr) is a freestanding unit and can direct cold air to specific areas by utilising these adjustable air ducts (6"/150mm) situated in the front of the unit.

FEATURES

This single fan spot cooler with large volume air movement of 1,500m³/hr is ideally suited to cool server rooms, production areas and workplaces.

The Cool Energy Spot Cooler 8.2 unit has been designed for a fast rental installation and start up. The unit operates from a standard 13amp single-phase supply and has a single 8" heat rejection hose, together with a 12 litre condensate container.

In addition to this, the unit is entirely portable and has castors with brakes. This allows for easy movement when cleaning around this lightweight unit.

The unit is capable of spot cooling warehouses electrical cabinets, personnel in bakery areas, computer suits, server rooms and packaging halls where localised cooling is required. (16- 21oC Air Off).

CONTACT US

Call us free on
0800 840 4210 or
visit our website
www.icscoolenergy.com

Depots Nationwide

hire@icscoolenergy.com

Dimensions (L x W x H)	mm	690 x 530 x 1,110
Weight	Kg	97
Air Connections	-	3 x 6"/150mm
Air Flow	m ³ /hr	1,500
Current consumption	Amps	9.5A
Power Supply	-	230/1ph/50Hz (1.5mm ²)
Max Power absorbed	kW	2.2
Power Connections	-	13 amp standard plug
Power Sound Level	dB(A)	69 @ 10m (max fan speed)
Nominal cooling duty	kW	8.2 @ 22°C in 28°C ambient

E&OE. All data is subject to change and continuous improvement without notice. Equipment designed to ISO 9001 and all relevant electrical, pressure and mechanical directives.

© ICS Cool Energy. All rights reserved.

**THE TEMPERATURE CONTROL SPECIALISTS.
SALES. HIRE. SERVICE.**

WWW.ICSCOOLENERGY.COM