



SPOT COOLER 10.2



Dimensions	mm	1200(W) x 970(D) x 665(H)
Weight	Kg	130
Air Connections	-	4 x 8" ducts
Air Flow	m ³ /hr	2,000
Current Consumption	Amps	12.5
Power Supply	V/ph/hz	230/1/50
Power Connections	-	13 amp standard plug
Power Sound Level	dBA	69 @ 10M (max fan speed)
Nominal Cooling Duty	kW	10 @ 22°C in 28°C ambient
Condensate Tank	L	9.5

FEATURES

This single fan SPOT COOLER with large volume air movement of 2,000m³/hr is ideally suited to cool server rooms, production areas and workplaces.

ICS Cool Energy's 10.25kW Spot Cooler unit has been designed for a fast rental installation and start up. The unit operates from a standard 13amp single phase supply and has a single 8" heat rejection hose.

In addition to this, the unit is entirely portable and has castors with brakes. This allows for easy movement when cleaning around this lightweight unit.

ABOUT THE RANGE

Why cool the whole building when you can cool the area most affected by heat? This approach saves on costs and power usage. Installation takes minutes and has a running cost of approx 70p/hr.

BENEFITS

The 10.25kW spot cooler (35,000 Btu/hr) is a free standing unit and can direct cold air to specific areas by utilising the twin adjustable air ducts situated in the front of the unit. The unit is capable of spot cooling electrical cabinets, personnel in bakery areas, computer suites, server rooms and packaging halls where localised cooling is required.

CONTACT US

Call us free on
0800 840 4210 or
 visit our website
www.icscoolenergy.com

Depots Nationwide

hire@icscoolenergy.com

E&OE. All data is subject to change and continuous improvement without notice. Equipment designed to ISO 9001 and all relevant electrical, pressure and mechanical directives.

© ICS Cool Energy. All rights reserved.

**THE TEMPERATURE CONTROL SPECIALISTS.
 SALES. HIRE. SERVICE.**

WWW.ICSCOOLENERGY.COM